

TBJ Model 30-48-1B-AH Scope Pre-Cleaning Sink (ref. dwg. R16037)



Product Specification

Product Description

The TBJ Model 30-48-1B-AH SPCS sink is specifically designed for use in GI Labs and Sterile Processing Departments for the pre-cleaning flexible endoscopes. The unit includes a single sink bowls and is ideal for use in compact areas where space constraints prohibit the installation of double or triple bowl unit. The work sink shall have the following configuration and features:

- The sink shall be 28" x 16" x 10 ½" deep
- A deck mounted hot/cold water faucet with wrist blade handles shall be centered at the sink bowl.
- The sink shall include an electrically operated hydraulic lift system allowing the sink height to be adjusted from 32" to 40" high via a rocker switch control can be added to the base unit.
- The sink shall be offset to the left side and include 18" of counter top space.
- Includes (1) lever handle drain control for remote sink draining

Construction/Design

- Heavy duty stainless steel construction
- Type 304 stainless steel sink top, 14 gauge, #4 finish
- Type 304 stainless steel tubular base frame made of 1 ½" square x 16 gauge wall tubing
- Adjustable leveling feet
- Seamless heliarc welded construction
- All exposed welds ground and polished
- 4" high backsplash extending the length of the sink top
- Heavy gauge NSF approved sink bowls with cove corners
- 1/8" high marine edge on around front and sides
- Hospital grade, chrome plated brass faucets and fixtures
- Crumb cup drain stoppers
- Sink bowl sizes and overall dimensions can be customized around your specific needs.
- A wide variety of optional features are available to add to the base unit. See optional features listed below.

Dimensions:

The 30-48-1B WS is 30 Wide x 48" Long. The height adjustment option allows the sink top to be adjustable between 32" and 40" High. The sink bowl is 28" Wide x 16" Long x 10 ½" Deep.

Sink Fixtures

Hot/Cold water faucet – (1) chrome plated, deck mounted hot/cold water faucets with spray rinse combinations centered the sink bowl.. Fixtures are pre-piped to threaded valves for ease of connection to building utilities on site.

Available Options (partial list)

Scope Buddy™ Plus Endoscope Flushing Aid – Designed to facilitate the flushing of rinse water, air and detergent solutions through the channels of flexible, immersible endoscopes during the manual cleaning process of endoscope reprocessing prior to the subsequent high-level disinfection or sterilization process.

Automatic Sink Bowl Filling System – The auto-fill system includes an ON/OFF switch, timer to pre-set fill duration, a level control sensor and push-button fill control. The system will automatically fill the same volume of water cycle after cycle.

Enzymatic Dosing System – The enzymatic dosing system enables you to pre-program (2) different dosing levels. It includes water temperature monitoring, soak timer and "Check Detergent Supply" alarm when detergent supply is empty..

Installation and Assembly

TBJ work sinks are shipped fully assembled, for quick and easy setup. Standard and optional fixtures are shipped installed and ready for use after installation of the sink. Fixtures are pre-piped ready for connection to in-house utilities on site.

WORK SINK OPTIONS



Push-Button
Height Adjustment



Selecta Air &
Water Pistols



Etched Gallon
Markings



Integrated Scope Buddy™
Plus Flushing Aid



Hot/Cold spray rinse
Faucet combination



Custom Sink Bowl Sizes



Built-in Cabinets
and Drawers



Custom back-splashes and
Side-splashes



Full width under shelf



DI and RO water

ADDITIONAL OPTIONS NOT SHOWN: Automatic push-button sink filling, Overhead canopy with LED lighting and storage bins, LED task lighting, Water temperature monitoring, Programmable enzymatic dosing, Integrated leak testing.

